



The best technical solution at the best possible price

19" Super Frame is a "DESIGN PROTECTED" Enclosure System

Industrial Jewelry

by **ELSTEEL**







ELSTEEL

www.elsteel.it


IN-BUILT DESIGN FEATURES

Large area for natural ventilation
Also works when the door is closed !




Polished SS frame remove the wear and tear look
Perfect for EMC Solution

Earthing through Alu-zink




Direct support of 19" rails can with stand heavy loads 1100 kg



Easy baying...!


Modular cable ducts
combined with
forced ventilation !




Easy baying

All feet are adjustable
from inside the cabinets

Important when
cabinets are placed
against a wall



Strong heavy duty
system of shelves and
cable ladders



FRAME WITH MOUNTING RAIL



TYPE	DESCRIPTION	U/HE	SIZE (W×H×D)	WEIGHT kg	QTY	ORDER NO Stainless Steel	ORDER NO Mild Steel
SF 6.10.6	FRAME WITH MOUNTING RAIL	17U	600x1000x600	29.07	1	42700	43900
SF 6.10.8	FRAME WITH MOUNTING RAIL	17U	600x1000x800	31.83	1	42710	43910
SF 6.12.6	FRAME WITH MOUNTING RAIL	22U	600x1200x600	31.35	1	42720	43920
SF 6.12.8	FRAME WITH MOUNTING RAIL	22U	600x1200x800	34.12	1	42730	43930
SF 6.14.6	FRAME WITH MOUNTING RAIL	26U	600x1400x600	33.64	1	42740	43940
SF 6.14.8	FRAME WITH MOUNTING RAIL	26U	600x1400x800	36.41	1	42750	43950
SF 6.16.6	FRAME WITH MOUNTING RAIL	31U	600x1600x600	35.93	1	42760	43960
SF 6.16.8	FRAME WITH MOUNTING RAIL	31U	600x1600x800	38.69	1	42770	43970
SF 6.18.6	FRAME WITH MOUNTING RAIL	35U	600x1800x600	38.21	1	42780	43980
SF 6.18.8	FRAME WITH MOUNTING RAIL	35U	600x1800x800	40.97	1	42790	43990
SF 6.20.6	FRAME WITH MOUNTING RAIL	40U	600x2000x600	40.49	1	42800	44000
SF 6.20.8	FRAME WITH MOUNTING RAIL	40U	600x2000x800	43.26	1	42810	44010
SF 6.22.6	FRAME WITH MOUNTING RAIL	44U	600x2200x600	42.78	1	42820	44020
SF 6.22.8	FRAME WITH MOUNTING RAIL	44U	600x2200x800	45.54	1	42830	44030
SF 8.10.6	FRAME WITH MOUNTING RAIL	17U	800x1000x600	31.04	1	42850	44050
SF 8.10.8	FRAME WITH MOUNTING RAIL	17U	800x1000x800	33.45	1	42860	44060
SF 8.12.6	FRAME WITH MOUNTING RAIL	22U	800x1200x600	33.33	1	42870	44070
SF 8.12.8	FRAME WITH MOUNTING RAIL	22U	800x1200x800	35.74	1	42880	44080
SF 8.14.6	FRAME WITH MOUNTING RAIL	26U	800x1400x600	35.62	1	42890	44090
SF 8.14.8	FRAME WITH MOUNTING RAIL	26U	800x1400x800	38.02	1	42900	44100
SF 8.16.6	FRAME WITH MOUNTING RAIL	31U	800x1600x600	37.90	1	42910	44110
SF 8.16.8	FRAME WITH MOUNTING RAIL	31U	800x1600x800	40.31	1	42920	44120
SF 8.18.6	FRAME WITH MOUNTING RAIL	35U	800x1800x600	40.18	1	42930	44130
SF 8.18.8	FRAME WITH MOUNTING RAIL	35U	800x1800x800	42.59	1	42940	44140
SF 8.20.6	FRAME WITH MOUNTING RAIL	40U	800x2000x600	42.47	1	42950	44150
SF 8.20.8	FRAME WITH MOUNTING RAIL	40U	800x2000x800	44.88	1	42960	44160
SF 8.22.6	FRAME WITH MOUNTING RAIL	44U	800x2200x600	44.75	1	42970	44170
SF 8.22.8	FRAME WITH MOUNTING RAIL	44U	800x2200x800	47.16	1	42980	44180

INSTRUCTIONS



TYPE	U/HE	OVERALL SIZE				WEIGHT kg	ORDER No. Stainless Steel	ORDER NO Mild Steel
		A	B	C	D			
SF 6.10.6	17U	600	1000	600	450	29.07	42700	43900
SF 6.10.8	17U	600	1000	800	650	31.83	42710	43910
SF 6.12.6	22U	600	1200	600	450	31.35	42720	43920
SF 6.12.8	22U	600	1200	800	650	34.12	42730	43930
SF 6.14.6	26U	600	1400	600	450	33.64	42740	43940
SF 6.14.8	26U	600	1400	800	650	36.41	42750	43950
SF 6.16.6	31U	600	1600	600	450	35.93	42760	43960
SF 6.16.8	31U	600	1600	800	650	38.69	42770	43970
SF 6.18.6	35U	600	1800	600	450	38.21	42780	43980
SF 6.18.8	35U	600	1800	800	650	40.97	42490	43990
SF 6.20.6	40U	600	2000	600	450	40.49	42800	44000
SF 6.20.8	40U	600	2000	800	650	43.26	42810	44010
SF 6.22.6	44U	600	2200	600	450	42.78	42820	44020
SF 6.22.8	44U	600	2200	800	650	45.54	42830	44030
SF 8.10.6	17U	800	1000	600	450	31.04	42850	44050
SF 8.10.8	17U	800	1000	800	650	33.45	42860	44060
SF 8.12.6	22U	800	1200	600	450	33.33	42870	44070
SF 8.12.8	22U	800	1200	800	650	35.74	42880	44080
SF 8.14.6	26U	800	1400	600	450	35.62	42890	44090
SF 8.14.8	26U	800	1400	800	650	38.02	42900	44100
SF 8.16.6	31U	800	1600	600	450	37.90	42910	44110
SF 8.16.8	31U	800	1600	800	650	40.31	42920	44120
SF 8.18.6	35U	800	1800	600	450	40.18	42930	44130
SF 8.18.8	35U	800	1800	800	650	42.59	42940	44140
SF 8.20.6	40U	800	2000	600	450	42.47	42950	44150
SF 8.20.8	40U	800	2000	800	650	44.88	42960	44160
SF 8.22.6	44U	800	2200	600	450	44.75	42970	44170
SF 8.22.8	44U	800	2200	800	650	47.16	42980	44180



INCL




STEEL DOOR

STAHLTÜR

STÅLDØR

TYPE	DESCRIPTION	SIZE (W×H)	LOCKS	WEIGHT kg	QTY	ORDER NO
SFSD 6.10	STEEL DOOR	600 × 1000	1	5.17	1	43000
SFSD 6.12	STEEL DOOR	600 × 1200	1	6.34	1	43010
SFSD 6.14	STEEL DOOR	600 × 1400	1	7.51	1	43020
SFSD 6.16	STEEL DOOR	600 × 1600	1	8.68	1	43030
SFSD 6.18	STEEL DOOR	600 × 1800	1	9.85	1	43040
SFSD 6.20	STEEL DOOR	600 × 2000	1	11.02	1	43050
SFSD 6.22	STEEL DOOR	600 × 2200	1	12.19	1	43060
SFSD 8.10	STEEL DOOR	800 × 1000	1	6.90	1	43100
SFSD 8.12	STEEL DOOR	800 × 1200	1	8.46	1	43110
SFSD 8.14	STEEL DOOR	800 × 1400	1	10.02	1	43120
SFSD 8.16	STEEL DOOR	800 × 1600	1	11.58	1	43130
SFSD 8.18	STEEL DOOR	800 × 1800	1	13.14	1	43140
SFSD 8.20	STEEL DOOR	800 × 2000	1	14.70	1	43150
SFSD 8.22	STEEL DOOR	800 × 2200	1	16.26	1	43160



STEEL DOOR WITH MESH

STAHLTÜR MIT LÖCHER


STÅLDØR MED HULLER



INCL



TYPE	DESCRIPTION	SIZE (W×H)	LOCKS	WEIGHT kg	QTY	ORDER NO
SFDM 6.10	STEEL DOOR WITH MESH	600 × 1000	1	4.50	1	43200
SFDM 6.12	STEEL DOOR WITH MESH	600 × 1200	1	5.52	1	43210
SFDM 6.14	STEEL DOOR WITH MESH	600 × 1400	1	6.53	1	43220
SFDM 6.16	STEEL DOOR WITH MESH	600 × 1600	1	7.55	1	43230
SFDM 6.18	STEEL DOOR WITH MESH	600 × 1800	1	8.56	1	43240
SFDM 6.20	STEEL DOOR WITH MESH	600 × 2000	1	9.58	1	43250
SFDM 6.22	STEEL DOOR WITH MESH	600 × 2200	1	10.60	1	43260
SFDM 8.10	STEEL DOOR WITH MESH	800 × 1000	1	6.02	1	43300
SFDM 8.12	STEEL DOOR WITH MESH	800 × 1200	1	7.37	1	43310
SFDM 8.14	STEEL DOOR WITH MESH	800 × 1400	1	8.73	1	43320
SFDM 8.16	STEEL DOOR WITH MESH	800 × 1600	1	10.09	1	43330
SFDM 8.18	STEEL DOOR WITH MESH	800 × 1800	1	11.45	1	43340
SFDM 8.20	STEEL DOOR WITH MESH	800 × 2000	1	12.81	1	43350
SFDM 8.22	STEEL DOOR WITH MESH	800 × 2200	1	14.17	1	43360





GLASS DOOR

SICHTTÜR

GLAS DØR

TYPE	DESCRIPTION	SIZE (W×H)	LOCKS	WEIGHT kg	QTY	ORDER NO
SFGD 6.10	GLASS DOOR	600 × 1000	1	5.92	1	43400
SFGD 6.12	GLASS DOOR	600 × 1200	1	7.09	1	43410
SFGD 6.14	GLASS DOOR	600 × 1400	1	8.26	1	43420
SFGD 6.16	GLASS DOOR	600 × 1600	1	9.43	1	43430
SFGD 6.18	GLASS DOOR	600 × 1800	1	10.60	1	43440
SFGD 6.20	GLASS DOOR	600 × 2000	1	11.77	1	43450
SFGD 6.22	GLASS DOOR	600 × 2200	1	12.94	1	43460
SFGD 8.10	GLASS DOOR	800 × 1000	1	7.65	1	43500
SFGD 8.12	GLASS DOOR	800 × 1200	1	9.21	1	43510
SFGD 8.14	GLASS DOOR	800 × 1400	1	10.77	1	43520
SFGD 8.16	GLASS DOOR	800 × 1600	1	12.33	1	43530
SFGD 8.18	GLASS DOOR	800 × 1800	1	13.89	1	43540
SFGD 8.20	GLASS DOOR	800 × 2000	1	15.45	1	43550
SFGD 8.22	GLASS DOOR	800 × 2200	1	17.01	1	43560






SIDE COVER

SEITEN WAND

SIDE PLADE

TYPE	DESCRIPTION	SIZE (W×H)	LOCKS	WEIGHT kg	QTY	ORDER NO
SFSC 6.10	SIDE COVER	600 × 1000	1	4.91	1	43600
SFSC 6.12	SIDE COVER	600 × 1200	1	5.98	1	43610
SFSC 6.14	SIDE COVER	600 × 1400	1	7.05	1	43620
SFSC 6.16	SIDE COVER	600 × 1600	1	8.13	1	43630
SFSC 6.18	SIDE COVER	600 × 1800	1	9.20	1	43640
SFSC 6.20	SIDE COVER	600 × 2000	1	10.27	1	43650
SFSC 6.22	SIDE COVER	600 × 2200	1	11.34	1	43660
SFSC 8.10	SIDE COVER	800 × 1000	1	6.67	1	43700
SFSC 8.12	SIDE COVER	800 × 1200	1	8.13	1	43710
SFSC 8.14	SIDE COVER	800 × 1400	1	9.59	1	43720
SFSC 8.16	SIDE COVER	800 × 1600	1	11.04	1	43730
SFSC 8.18	SIDE COVER	800 × 1800	1	12.50	1	43740
SFSC 8.20	SIDE COVER	800 × 2000	1	13.95	1	43750
SFSC 8.22	SIDE COVER	800 × 2200	1	15.41	1	43760





CABLE LADDER

KABEL TRAG SCHIENEN

KABEL STIGE

TYPE	DESCRIPTION	U/HE	SIZE (W×H)	WEIGHT kg	QTY	ORDER NO
SFCL 10	CABLE LADDER	17U	1000	1.62	1	43800
SFCL 12	CABLE LADDER	22U	1200	2.01	1	43810
SFCL 14	CABLE LADDER	26U	1400	2.38	1	43820
SFCL 16	CABLE LADDER	31U	1600	2.76	1	43830
SFCL 18	CABLE LADDER	35U	1800	3.14	1	43840
SFCL 20	CABLE LADDER	40U	2000	3.52	1	43850
SFCL 22	CABLE LADDER	44U	2200	3.91	1	43860




19" CABLE HOLDER

19" KABEL TRÄGER

19" KABEL HOLDER

TYPE	DESCRIPTION	SIZE X	WEIGHT kg	QTY	ORDER NO
CBH 175	CABLE HOLDER	175	0.10	1 SET	41150
CBH 325	CABLE HOLDER	325	0.18	1 SET	41160
CBH 525	CABLE HOLDER	525	0.30	1 SET	41170





BLANK COVER

BLIND PLATTE

BLIND PLADE

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
BC	BLANK COVER	600 × 130	0.62	1	41000



LOUVRE PLATE

LÜFTER PLATTE


GÆLLE PLADE

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
LP	LOUVRE PLATE	600 × 130	0.62	1	41010



CABLE GLAND PLATE
KABLE DURCHFÜHRUNGS
PLATTE
KABELGENNEMFØRINGS
PLADE

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
CP	CABLE GLAND PLATE	600 × 130	0.62	1	41020



QUICK GLAND PLATE
SCHNELLFLANSCH PLATTE
QUICK GLAND PLATE

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
QP	QUICK GLAND PLATE IP55	600 × 130	0.66	1	41035



FAN PLATE
VENTILATOREN PLATTE
VENTILATOR PLADE

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
FAP	FAN PLATE	600 × 130	0.62	1	41030
FAP 230	FAN PLATE WITH FAN 230V AC	600 × 130	0.62	1	41031
FAP 12	FAN PLATE WITH FAN 12V AC	600 × 130	0.62	1	41032



THERMOSTAT


THERMOSTAT

TERMOSTAT



TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER NO
TEM	THERMOSTAT 0 - 60°C	0.36	1	42453

Combine according to your need.

Fan 230V AC
Air flow : 87-107 CFM
(144-178m³/h)



Punch hole with a screw driver.
Press cable through





TRAY

ABLAGE TISCH

BAKKE

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	QTY	ORDER NO
TR	19" TRAY	600 × 3U	2.5	1	41590




SHELVES

GERÄTE BODEN

HYLDESHELVES

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	QTY	ORDER NO
SHE 6.2,5	19" SHELVES	600 × 250	1.60	1	41045
SHE 6.4	19" SHELVES	600 × 400	2.25	1	41050
SHE 6.5	19" SHELVES	600 × 500	2.91	1	41055
SHE 6.6	19" SHELVES	600 × 600	3.37	1	41060




SUPPORT RAIL

STÜTZ SCHIENE

SUPPORT SKINNE

TYPE	DESCRIPTION	SIZE (DEPTH)	WEIGHT kg	QTY	ORDER NO
SPR 2,5	19" SUPPORT RAIL	250	0.68	1 SET	41600
SPR 4	19" SUPPORT RAIL	400	1.10	1 SET	41610
SPR 5	19" SUPPORT RAIL	500	1.35	1 SET	41615
SPR 6	19" SUPPORT RAIL	600	1.65	1 SET	41620






19" FRONT PANEL

19" FRONT PLATTE

19" FRONT PLADE

TYPE	DESCRIPTION		SIZE (W×H)	WEIGHT kg	QTY	ORDER NO
FP 1	19" FRONT PANEL	1.2 mm PAINTED	600 × 1U	0.25	1	41200
FP 2	19" FRONT PANEL	1.2 mm PAINTED	600 × 2U	0.45	1	41210
FP 3	19" FRONT PANEL	1.2 mm PAINTED	600 × 3U	0.66	1	41220
FP 4	19" FRONT PANEL	1.2 mm PAINTED	600 × 4U	0.86	1	41230
FP 5	19" FRONT PANEL	1.2 mm PAINTED	600 × 5U	1.60	1	41240
FP 1	19" FRONT PANEL	3 mm ALUMINIUM	600 × 1U	0.17	1	41300
FP 2	19" FRONT PANEL	3 mm ALUMINIUM	600 × 2U	0.32	1	41310
FP 3	19" FRONT PANEL	3 mm ALUMINIUM	600 × 3U	0.47	1	41320
FP 4	19" FRONT PANEL	3 mm ALUMINIUM	600 × 4U	0.62	1	41325
FP 5	19" FRONT PANEL	3 mm ALUMINIUM	600 × 5U	0.77	1	41330
FP 1	19" FRONT PANEL	3 mm ALUM. PAINTED	600 × 1U	0.17	1	41400
FP 2	19" FRONT PANEL	3 mm ALUM. PAINTED	600 × 2U	0.32	1	41410
FP 3	19" FRONT PANEL	3 mm ALUM. PAINTED	600 × 3U	0.47	1	41420
FP 4	19" FRONT PANEL	3 mm ALUM. PAINTED	600 × 4U	0.62	1	41425
FP 5	19" FRONT PANEL	3 mm ALUM. PAINTED	600 × 5U	0.77	1	41430



19" FRONT PANEL WITH LOUVRES

19" FRONT PLATTE MIT LÜFTER

19" FRONT PLADE MED GÆLLER

TYPE	DESCRIPTION		SIZE (W×H)	WEIGHT kg	QTY	ORDER NO
GP 1	19" GRILL PLATE	3 mm ALUM. PAINTED	600 × 1U	0.13	1	41500
GP 2	19" GRILL PLATE	3 mm ALUM. PAINTED	600 × 2U	0.22	1	41510
GP 3	19" GRILL PLATE	3 mm ALUM. PAINTED	600 × 3U	0.35	1	41520
GP 4	19" GRILL PLATE	3 mm ALUM. PAINTED	600 × 4U	0.50	1	41525
GP 5	19" GRILL PLATE	3 mm ALUM. PAINTED	600 × 5U	0.60	1	41530




19" FRONT PANEL WITH THERMO METER

19" FRONT PLATTE MIT THERMO METER

19" FRONT PLADE MED THERMO METER

TYPE	DESCRIPTION		SIZE (W×H)	WEIGHT kg	QTY	ORDER NO
FPT	19" FRONT PANEL WITH THERMO METER		600 × 1U	0.42	1	41205





CLIP NUT

KÄFIG MUTTER

CLIPS MØTRIK

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
CLN	CLIP NUT	10 × 10 / M6	0.02	1 SET	41700



SCREWS AND WASHERS

BEFESTIGUNGS SCHRAUBEN

FRONT PLADE SKRUER OG SKIVER

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
SAW	SCREWS AND WASHERS	M6	0.02	1 SET	41720



CABLE CLIP

KABEL HALTER

KABEL HOLDER

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
CAL	CABLE CLIP		0.02	1 SET	41750




ASSEMBLY BRACKET

ANREIHE BESCHLÄGE

SAMMEN SPÆNDINGS BESLAG

TYPE	DESCRIPTION	SIZE	WEIGHT kg	QTY	ORDER NO
ASB	ASSEMBLY BRACKET	50 × 40	0.55	1 SET	41760



SLIDES




TELESKOPSCIENE

UDTRÆKS SKINNER

TYPE	DESCRIPTION	SIZE	LOAD kg	WITH LATCH LOCK EXTENSION	WEIGHT kg	QTY	ORDER NO
SL 4	SLIDES	35 × 400	45	75 %	1.2	1 SET	41810
SL 5	SLIDES	35 × 500	45	75 %	1.3	1 SET	41813
SL 6	SLIDES	35 × 600	45	75 %	1.5	1 SET	41816

TYPE	DESCRIPTION	SIZE	LOAD kg	WITHOUT LATCH LOCK EXTENSION	WEIGHT kg	QTY	ORDER NO
SLD 4	SLIDES	35 × 400	45	100 %	1.85	1 SET	41820
SLD 4	SLIDES	35 × 500	45	100 %	2.03	1 SET	41823
SLD 4	SLIDES	35 × 600	45	100 %	2.65	1 SET	41826





SLIDING SHELF

SCHUBLADE

UDTRÆKS HYLDE

TYPE	DESCRIPTION	ACTUAL SIZE (W×H)	PANEL DEPTH	LOAD kg	WITH LATCH LOCK EXTENSION	WEIGHT kg	QTY	ORDER NO
SSHL 6.4	SLIDING SHELF	416 × 400	600	45	75 %	3.0	1 SET	40950
SSHL 6.5	SLIDING SHELF	416 × 500	600	45	75 %	4.2	1 SET	40953
SSHL 6.6	SLIDING SHELF	416 × 600	800	45	75 %	5.7	1 SET	40956

TYPE	DESCRIPTION	ACTUAL SIZE (W×H)	PANEL DEPTH	LOAD kg	WITHOUT LATCH LOCK EXTENSION	WEIGHT kg	QTY	ORDER NO
SSH 6.4	SLIDING SHELF	416 × 400	600	45	100 %	3.0	1 SET	40960
SSH 6.5	SLIDING SHELF	416 × 500	600	45	100 %	4.2	1 SET	40963
SSH 6.6	SLIDING SHELF	416 × 600	800	45	100 %	5.7	1 SET	40966






CASTORS

TRANSPORT ROLLEN

TRANSPORT HJUL

TYPE	DESCRIPTION	MAXIMUM LOAD	WEIGHT kg	QTY	ORDER NO
CAS	CASTORS	200 kg	1.2	1 SET	41775





19" CABLE HOLDER

19" KABELHALTER

**19" KABEL HOLDER
HORIZONTAL**

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER NO
CHL	19" CABLE HOLDER	0.45	1	42500




**19" CABLE HOLDER
BRACKET**

**19" KABEL TRÄGER
KLAMMER**

**19" KABEL HOLDER
VERTIKAL**


TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER NO
CHB	19" CABLE HOLDER BRACKET	0.04	1 SET	42520



19" DIN BOX



TYPE	DESCRIPTION	U/HE	UNITS	SIZE (WxH)	WEIGHT kg	QTY	ORDER NO
DIB	19" DIN BOX	3U	23	600×132	2.0	1	42456



International Distributors

EUROPE	AUSTRALASIA	MIDDLE EAST - Contd.
Elsteel UK - England Tel: ++44 197 885 5909 Fax: ++44 197 885 5824 Mail: sales@elsteel.co.uk	IPD Ind. Products - Australia & New Zealand Tel: ++61 2 9645 0777 Fax: ++61 2 9645 2365 Mail: brian.rodricks@ipdgroup.com.au	Bitech W.L.L - Baharain Tel: ++973 1 770 3565 Fax: ++973 1 770 3595 Mail: ja@bitechbaharain.com
Elsteel Ltd. - Poland Tel: ++48 77 465 4666 Fax: ++48 77 465 4674 Mail: elsteel@elsteel.pl	National Electric & Co. LLC - Omaniya Tel: ++968 2 445 4951 Fax: ++968 2 445 3721 Mail: neioman@eto.net.om	Powercon Switchgear Factory - Dubai Tel: ++971 4 267 5504 Fax: ++971 4 267 5514 Mail: powercon@powercon.ae
Elsteel Ltd. - Ireland Tel: ++44 289 077 4041 Fax: ++44 289 078 3197 Mail: ghavlin@parkellect.co.uk	Voltamp Manufacturing - Oman Tel: ++968 2 444 9140 Fax: ++968 2 444 6584 Mail: pronab@voltampoman.com	Elsteel Ltd. - Sri Lanka Tel: ++94 11 225 2485 Fax: ++94 11 225 2698 Mail: esales@slt.lk
Elsteel Iberica S. A. - Spain & Portugal Tel: ++34 95 567 5128 Fax: ++34 95 567 5987 Mail: josemanuel@cenazarenos.com	Sharikat Fanniya - Omaniya Tel: ++968 2 481 5970 Fax: ++968 2 481 0706 Mail: sfoelect@omantel.net.om	Elsteel Ltd. - India Tel: ++91 80 2351 9747 Fax: ++91 80 2351 9757 Mail: nishith@elsteel.com
EFA Elektro AS - Norway Tel: ++47 6 681 2400 Fax: ++47 6 680 0478 Mail: geir.sogn@efa.no	Neka Novin Co., - Iran Tel: ++98 21 8875 7854 Fax: ++98 21 8850 6021 Mail: mmdayani@nekanovin.com	Elsteel Techno - Singapore & Malaysia Tel: ++65 645 546 98 Fax: ++65 645 591 31 Mail: elsteel@singnet.com.sg
RS Components Ltd. - England Tel: ++44 1536 20 1234 Fax: ++44 1536 20 1501 Mail: www.rsweb.com	N. N. Control Panels Ltd. - Cyprus Tel: ++357 25 71 2516 Fax: ++357 25 71 4415 Mail: info@nncontrolpanels.com	Cotmac Electronics (Pvt) Ltd. - India Tel: ++91 20 6630 1946 Fax: ++91 20 6630 1946 Mail: pralhad.hage@cotmac.com
BMC Manufacturing - Ireland Tel: ++353 1 835 1744 Fax: ++353 1 835 2359 Mail: ydillion@bmcsmfg.ie	Al Bonian International - Lebanon Tel: ++961 6 40 0195 Fax: ++961 6 40 0192 Mail: bonian.l@cyberia.net.lb	Fudo Automation Systems - Hyderabad, India Tel: ++91 40 2342 8178 Fax: ++91 40 2307 3995 Mail: fudo@rediffmail.com
TMS GmbH - Germany Tel: ++49 4554 705 6500 Fax: ++49 4554 705 6503 Mail: info@technomodul.de	Electronic & Electrical Industries - Saudi Arabia Tel: ++966 1 294 1458 Fax: ++966 1 265 2443 Mail: www.abunayyangroup.com	Control Infotech - India Tel: ++91 80 2836 2527 Fax: ++91 80 2836 1502 Mail: rajesh.r@control-infotech.com
Kulik Telecom B. V. - Holland Tel: ++31 182 61 8777 Fax: ++31 182 61 6064 Mail: info@kulik.nl	Petroleum Technology Co WLL - Qatar Tel: ++974 423 8657 Fax: ++974 441 9604 Mail: shoab@petrotec.com.qa	Syspro Automation - India Tel: ++91 44 2454 1627 Fax: ++91 44 2454 1259 Mail: syspro.automation@vsnl.com
Rafmiolun Ehf - Iceland Tel: ++354 540 3509 Fax: ++354 540 3501 Mail: kolbeinn@rafmidlun.is	Jaidah Motors & Trading Co. - Qatar Tel: ++974 460 4283 Fax: ++974 460 4286 Mail: info@jaidah.com.qa	Proficon Electronics - Bombay, Pune, India Tel: ++91 20 2747 7441 Fax: ++91 20 6611 6751 Mail: proficons@yahoo.co.in
Vav Union Kft - Hungary Tel: ++36 1 310 5150 Fax: ++36 1 310 5163 Mail: vavunion@vavunion.hu	Prisma Electric Industries LLC - U. A. E. Tel: ++971 6 533 2396 Fax: ++971 6 533 1362 Mail: prisma25@eim.ae	Maxwell Electrical Asia - Hong Kong Tel: ++852 3583 5088 Fax: ++852 3583 5089 Mail: aven.ng@maxwell.com.cn
Culic Electro Centar - Croatia Tel: ++38 5 2120 4333 Fax: ++38 5 2120 4343 Mail: niksa@culicce.hr	Megatech Control FZCO - Dubai Tel: ++971 4 883 0022 Fax: ++971 4 883 0050 Mail: balaji@megatech.ae	MIAC Automation- Thailand Tel: ++66 38 703 212 Fax: ++66 38 702 106 Mail: hja@miac-automation.com
Coelco Trade SRL - Romania Tel: ++40 21 411 9621 Fax: ++40 21 411 9781 Mail: catalin.caciuleanu@coelco.ro	Bloudan Control Systems Industry - Dubai Tel: ++971 4 339 0499 Fax: ++971 4 339 1553 Mail: arun@bcsdubai.com	Elsteel Ltd. - South Africa Tel: ++27 16 986 2267 Fax: ++27 16 986 2278 Mail: atisa@mweb.co.za
Elektra-Bree-Bordenbouw - Belgium Tel: ++32 8941 0041 Fax: ++32 8941 0049 Mail: koen.geebelen@ebbordenbouw.be	Jawad Electric Switchgear Mfg. - Jordan Tel: ++962 6 488 5617 Fax: ++962 6 488 5618 Mail: b_hindi@go.com.jo	M & E Commercial Industries - Mauritius Tel: ++230 670 5201 Fax: ++230 670 5200 Mail: mec.eng@intnet.mu
Alewijnse Panelenbouw B.V. - Holland Tel: ++31 243 716 512 Fax: ++31 243 716 510 Mail: l.d.groot@alewijnse.nl	Power & Control Fzco - Dubai Tel: ++971 4 883 0391 Fax: ++971 4 883 0392 Mail: pnc@emirates.net.ae	Specialised Power Systems Ltd. - Kenya Tel: ++254 20 530 6660 Fax: ++254 20 553 073 Mail: specialised@wanachi.com
Montakon B.V. - Holland Tel: ++31 735 996 000 Fax: ++31 735 996 060 Mail: willem.goes@montakon.nl	Schneider Electrical Engineering LTd - Israel Tel: ++972 4 609 4428 Fax: ++972 4 649 2216 Mail: tech@sche.co.il	JSC Electronmash - Russia Tel: ++781 2 320 1262 Fax: ++781 2 320 1262 Mail: alexeev@electronmash.ru

ASIA


AFRICA

CIS

ELSTEEL

FABRIKSVEJ 23
3000 ELSINORE
DENMARK

TEL : ++45 49 22 33 44
FAX : ++45 49 22 33 45
MAIL: elsteel@elsteel.dk



For latest news and links www.elsteel.com