



The best technical solution at the best possible price

Industrial Jewelry

by **ELSTEEL**

The new double bended edges are gentle to the hands of panel builder and end user !



Mild Steel box IP 65 - RAL 7035

Stainless Steel box IP 66

Mild Steel Terminal boxes

Stainless Steel Terminal boxes

Doors opens 120⁰

Hinged right or left

Vast range of sizes

Vast range of inserts

Special colours / Sizes / Holes



VERSION 2 BOX IP65

VERSION 2 BOX IP65

VERSION 2 BOX IP65

Door sizes above 800×1000 are supplied with Stiffners

Textured RAL 7035


FL 21 Glands

In some countries wall mounting brackets are not included.

TYPE	SIZE (WIDTH × HEIGHT × DEPTH)	LOCKS	No. OF GLANDS	WEIGHT kg	QTY	ORDER No.
BOX 2.2-150 V2	200 × 200 × 150	1	1	2.91	1	55500
BOX 2.3-150 V2	200 × 300 × 150	1	1	3.97	1	55520
BOX 2.5.3-150 V2	250 × 300 × 150	1	1	4.92	1	55550
BOX 3.3-150 V2	300 × 300 × 150	1	1	5.63	1	55580
BOX 3.3-175 V2	300 × 300 × 175	1	1	5.94	1	55590
BOX 3.3-200 V2	300 × 300 × 200	1	1	6.24	1	55600
BOX 3.4-150 V2	300 × 400 × 150	2	1	7.06	1	55610
BOX 3.4-175 V2	300 × 400 × 175	2	1	7.41	1	55620
BOX 3.4-200 V2	300 × 400 × 200	2	1	7.77	1	55630
BOX 3.5-250 V2	300 × 500 × 250	2	1	5.36	1	55670
BOX 4.3-150 V2	400 × 300 × 150	1	1	7.06	1	55680
BOX 4.3-175 V2	400 × 300 × 175	1	1	7.41	1	55690
BOX 4.3-200 V2	400 × 300 × 200	1	1	7.77	1	55700
BOX 4.4-150 V2	400 × 400 × 150	2	1	8.86	1	55710
BOX 4.4-175 V2	400 × 400 × 175	2	1	9.27	1	55720
BOX 4.4-200 V2	400 × 400 × 200	2	1	9.67	1	55730
BOX 4.5-150 V2	400 × 500 × 150	2	1	10.66	1	55740
BOX 4.5-175 V2	400 × 500 × 175	2	1	11.12	1	55750
BOX 4.5-200 V2	400 × 500 × 200	2	1	11.57	1	55760
BOX 4.5-250 V2	400 × 500 × 250	2	1	13.77	1	55770
BOX 4.6-200 V2	400 × 600 × 200	2	1	15.87	1	55810
BOX 4.6-250 V2	400 × 600 × 250	2	1	17.13	1	55820
BOX 4.6-300 V2	400 × 600 × 300	2	1	17.48	1	55830
BOX 4.7-200 V2	400 × 700 × 200	2	1	18.09	1	55860
BOX 5.5-200 V2	500 × 500 × 200	2	1	18.52	1	56000
BOX 5.6-200 V2	500 × 600 × 200	2	1	18.94	1	56040
BOX 5.7-200 V2	500 × 700 × 200	2	1	21.59	1	56060
BOX 5.7-250 V2	500 × 700 × 250	2	1	23.11	1	56070
BOX 6.4-200 V2	600 × 400 × 200	2	2	16.18	1	56150
BOX 6.4-300 V2	600 × 400 × 300	2	2	18.71	1	56170
BOX 6.5-200 V2	600 × 500 × 200	2	2	19.25	1	56180
BOX 6.6-200 V2	600 × 600 × 200	2	2	22.32	1	56190
BOX 6.6-300 V2	600 × 600 × 300	2	2	25.37	1	56210
BOX 6.7-200 V2	600 × 700 × 200	2	2	25.49	1	56220
BOX 6.8-200 V2	600 × 800 × 200	3	2	28.57	1	56230
BOX 6.8-250 V2	600 × 800 × 250	3	2	30.35	1	56240
BOX 6.8-300 V2	600 × 800 × 300	3	2	32.13	1	56250
BOX 6.10-200 V2	600 × 1000 × 200	3	2	34.75	1	56260
BOX 6.10-300 V2	600 × 1000 × 300	3	2	38.81	1	56280
BOX 6.12-200 V2	600 × 1200 × 200	3	2	40.92	1	56290
BOX 8.8-300 V2	800 × 800 × 300	3	2	46.20	1	56390
BOX 8.10-200 V2	800 × 1000 × 200	3	2	44.45	1	56400
BOX 8.10-250 V2	800 × 1000 × 250	3	2	46.73	1	56410
BOX 8.10-300 V2	800 × 1000 × 300	3	2	49.02	1	56430

INSTRUCTIONS

MAIN DIMENSIONS Powder Coated Box IP65



TYPE	OVERALL SIZE			OPENING DEPTH			MOUNTING HOLE POSITIONS				MOUNTING PLATE HOLE SIZE				LOCKS	WEIGHT kg	ORDER No.
	A	B	C	a	b	d	W1	W2	H1	H2	W3	H3	W4	H4			
BOX 2.2-150 V2	200	200	150	150	150	135	240	160	240	160	148	148	125	125	1	2.91	55500
BOX 2.3-150 V2	200	300	150	150	250	135	240	160	340	260	148	248	125	225	1	3.97	55520
BOX 2.5.3-150 V2	250	300	150	200	250	135	290	210	340	260	198	248	175	225	1	4.92	55550
BOX 3.3-150 V2	300	300	150	250	250	135	340	260	340	260	248	248	225	225	1	5.63	55580
BOX 3.3-175 V2	300	300	175	250	250	160	340	260	340	260	248	248	225	225	1	5.94	55590
BOX 3.3-200 V2	300	300	200	250	250	185	340	260	340	260	248	248	225	225	1	6.24	55600
BOX 3.4-150 V2	300	400	150	250	350	135	340	260	440	360	248	348	225	325	2	7.06	55610
BOX 3.4-175 V2	300	400	175	250	350	160	340	260	440	360	248	348	225	325	2	7.41	55620
BOX 3.4-200 V2	300	400	200	250	350	185	340	260	440	360	248	348	225	325	2	7.77	55630
BOX 3.5-250 V2	300	500	250	250	450	235	340	260	540	460	248	448	225	425	2	5.36	55670
BOX 4.3-150 V2	400	300	150	350	250	135	440	360	340	260	348	248	325	225	1	7.06	55680
BOX 4.3-175 V2	400	300	175	350	250	160	440	360	340	260	348	248	325	225	1	7.41	55690
BOX 4.3-200 V2	400	300	200	350	250	185	440	360	340	260	348	248	325	225	1	7.77	55700
BOX 4.4-150 V2	400	400	150	350	350	135	440	360	440	360	348	348	325	325	2	8.86	55710
BOX 4.4-175 V2	400	400	175	350	350	160	440	360	440	360	348	348	325	325	2	9.27	55720
BOX 4.4-200 V2	400	400	200	350	350	185	440	360	440	360	348	348	325	325	2	9.67	55730
BOX 4.5-150 V2	400	500	150	350	450	135	440	360	540	460	348	448	325	425	2	10.66	55740
BOX 4.5-175 V2	400	500	175	350	450	160	440	360	540	460	348	448	325	425	2	11.12	55750
BOX 4.5-200 V2	400	500	200	350	450	185	440	360	540	460	348	448	325	425	2	11.57	55760
BOX 4.5-250 V2	400	500	250	350	450	235	440	360	540	460	348	448	325	425	2	13.77	55770
BOX 4.6-200 V2	400	600	200	350	550	185	440	360	640	560	348	548	325	525	2	15.87	55810
BOX 4.6-250 V2	400	600	250	350	550	235	440	360	640	560	348	548	325	525	2	17.13	55820
BOX 4.6-300 V2	400	600	300	350	550	285	440	360	640	560	348	548	325	525	2	17.48	55830
BOX 4.7-200 V2	400	700	200	350	650	185	440	360	740	660	348	648	325	625	2	18.09	55860
BOX 5.5-200 V2	500	500	200	450	450	185	540	460	640	560	448	548	425	525	2	18.52	56000
BOX 5.6-200 V2	500	600	200	450	550	185	540	460	640	560	448	548	425	525	2	18.94	56040
BOX 5.7-200 V2	500	700	200	450	650	185	540	460	740	660	448	648	425	625	2	21.59	56060
BOX 5.7-250 V2	500	700	250	450	650	235	540	460	740	660	448	648	425	625	2	23.11	56070
BOX 6.4-200 V2	600	400	200	550	350	185	640	560	440	360	548	348	525	325	2	16.18	56150
BOX 6.4-300 V2	600	400	300	550	350	285	640	560	440	360	548	348	525	325	2	18.71	56170
BOX 6.5-200 V2	600	500	200	550	450	185	640	560	540	460	548	448	525	425	2	19.25	56180
BOX 6.6-200 V2	600	600	200	550	550	185	640	560	640	560	548	548	525	525	2	22.32	56190
BOX 6.6-300 V2	600	600	300	550	550	285	640	560	640	560	548	548	525	525	2	25.37	56210
BOX 6.7-200 V2	600	700	200	550	650	185	640	560	740	660	548	648	525	625	2	25.49	56220
BOX 6.8-200 V2	600	800	200	550	750	185	640	560	840	760	548	748	525	725	3	28.57	56230
BOX 6.8-250 V2	600	800	250	550	750	235	640	560	840	760	548	748	525	725	3	30.35	56240
BOX 6.8-300 V2	600	800	300	550	750	285	640	560	840	760	548	748	525	725	3	32.13	56250
BOX 6.10-200 V2	600	1000	200	550	950	185	640	560	1040	960	548	948	525	925	3	34.75	56260
BOX 6.10-300 V2	600	1000	300	550	950	285	640	560	1040	960	548	948	525	925	3	38.81	56280
BOX 6.12-200 V2	600	1200	200	550	1150	185	640	560	1240	1160	548	1148	525	1125	3	40.92	56290
BOX 8.8-300 V2	800	800	300	750	750	285	840	760	840	760	748	748	725	725	3	46.20	56390
BOX 8.10-200 V2	800	1000	200	750	950	185	840	760	1040	960	748	948	725	925	3	44.45	56400
BOX 8.10-250 V2	800	1000	250	750	950	235	840	760	1040	960	748	948	725	925	3	46.73	56410
BOX 8.10-300 V2	800	1000	300	750	950	285	840	760	1040	960	748	948	725	925	3	49.02	56430




COMBI RAILS

COMBI SCHIENEN

KOMBI SKINNER

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	QTY	ORDER No.
CR 2.2	COMBI RAILS	200 × 200	0.49	1 SET	51490
CR 2.3	COMBI RAILS	200 × 300	0.63	1 SET	51493
CR 2,5.3	COMBI RAILS	250 × 300	0.70	1 SET	51496
CR 3.3	COMBI RAILS	300 × 300	0.77	1 SET	51499
CR 3.4	COMBI RAILS	300 × 400	0.92	1 SET	51502
CR 4.3	COMBI RAILS	400 × 300	0.92	1 SET	51505
CR 4.4	COMBI RAILS	400 × 400	1.06	1 SET	51508
CR 4.5	COMBI RAILS	400 × 500	1.20	1 SET	51511
CR 4.6	COMBI RAILS	400 × 600	1.35	1 SET	51514
CR 5.6	COMBI RAILS	500 × 600	1.49	1 SET	51516
CR 5.7	COMBI RAILS	500 × 700	1.63	1 SET	51518
CR 6.4	COMBI RAILS	600 × 400	1.35	1 SET	51520
CR 6.5	COMBI RAILS	600 × 500	1.49	1 SET	51522
CR 6.6	COMBI RAILS	600 × 600	1.63	1 SET	51524
CR 6.7	COMBI RAILS	600 × 700	1.77	1 SET	51526
CR 6.8	COMBI RAILS	600 × 800	1.92	1 SET	51528
CR 6.10	COMBI RAILS	600 × 1000	2.20	1 SET	51530
CR 8.8	COMBI RAILS	800 × 800	2.20	1 SET	51532
CR 8.10	COMBI RAILS	800 × 1000	2.49	1 SET	51534

INSTRUCTIONS





PLASTIC DIN INSERT
400

PLASTIK DIN EINSATZ
400

PLASTIK DIN INDSATS
400

TYPE	DESCRIPTION	UNITS	SIZE (W×H)	WEIGHT kg	QTY	ORDER No.
PDNI	PLASTIC DIN INSERT	18	350 × 125	0.37	1 SET	30230




END COVERS
400

END PLATTEN
400

ENDE PLADER
400

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	QTY	ORDER No.
ENC	END COVER	350	0.25	1	30252



SPACER INSERT
400

ABSTANDS PLATTE
400

ABSTANDS PLADE
400

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	QTY	ORDER No.
SPI	SPACER INSERT	350 × 25	0.25	1	30265



DIN-RAIL BRACKET FOR
MOTOR STARTERS

DIN-SCHIENE BESCHLAG
FÜR MOTOR STARTERS



DIN-SKINNE BESLAG
MOTOR STARTERS

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No.
DNB	DIN-RAIL BRACKET FOR MOTOR STARTERS	0.12	1	30300

ORDER GUIDE

TYPE	DNIA 4.2	DNIA 4.4	DNIA 4.6	DNIA 4.8	DNIA 4.10	DNIA 4.12	DNIA 4.14	DNIA 4.16	DNIA 4.18	DNIA 4.20
ORDER No.	30273	30275	30277	30279	30281	30283	30285	30287	30289	30291
ORDER No. SIZE	400×200	400×400	400×600	400×800	400×1000	400×1200	400×1400	400×1600	400×1800	400×2000
INSERT 30230	1	2	4	6	7	9	10	12	14	15
END COVER 30252	2	2	2	2	2	2	2	2	2	2
SPACER 30265	1	4	2	-	3	1	4	2	-	3

INSTRUCTIONS





INTERNAL DOOR



INTERNE TÜR


INDVENDIG DØR

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	QTY	ORDER No.
ID 3.3	INTERNAL DOOR	300 × 300	1.24	1 SET	52515
ID 3.4	INTERNAL DOOR	300 × 400	1.67	1 SET	52520
ID 3.5	INTERNAL DOOR	300 × 500	2.09	1 SET	52525
ID 4.3	INTERNAL DOOR	400 × 300	1.62	1 SET	52530
ID 4.4	INTERNAL DOOR	400 × 400	2.18	1 SET	52535
ID 4.5	INTERNAL DOOR	400 × 500	2.74	1 SET	52540
ID 4.6	INTERNAL DOOR	400 × 600	3.30	1 SET	52545
ID 4.7	INTERNAL DOOR	400 × 700	3.86	1 SET	52550
ID 5.6	INTERNAL DOOR	500 × 600	4.07	1 SET	52555
ID 5.7	INTERNAL DOOR	500 × 700	4.77	1 SET	52560
ID 6.4	INTERNAL DOOR	600 × 400	3.19	1 SET	52565
ID 6.5	INTERNAL DOOR	600 × 500	4.02	1 SET	52570
ID 6.6	INTERNAL DOOR	600 × 600	4.85	1 SET	52575
ID 6.7	INTERNAL DOOR	600 × 700	5.68	1 SET	52580
ID 6.8	INTERNAL DOOR	600 × 800	6.51	1 SET	52585

OTHER SIZES ON REQUEST

INSTRUCTIONS





UNIVERSAL INSERT

UNIVERSAL EINSATZ

UNIVERSAL INDSATS

TYPE	DESCRIPTION	MODULAR SIZE	WEIGHT kg	QTY	ORDER No.
UI 4.2	UNIVERSAL INSERT	400 × 200	4.28	1	32940
UI 4.3	UNIVERSAL INSERT	400 × 300	5.36	1	32950
UI 4.4	UNIVERSAL INSERT	400 × 400	6.43	1	32960



**ADJUSTABLE
MOUNTING PLATE**

**JUSTIERBARE
MONTAGE PLATTE**

**JUSTERBAR
MONTAGE PLADE**

TYPE	DESCRIPTION	NOMINAL SIZE (W×H)	ACTUAL SIZE (W×H)	WEIGHT kg	QTY	ORDER No.
AMP 4.2	ADJUSTABLE MOUNTING PLATE	400 × 200	250 × 180	1.30	1	32980
AMP 4.3	ADJUSTABLE MOUNTING PLATE	400 × 300	250 × 280	1.90	1	32983
AMP 4.4	ADJUSTABLE MOUNTING PLATE	400 × 400	250 × 380	2.50	1	32986





**FORM 2 ADJUSTABLE
MOUNTING PLATE**

**FORM 2 JUSTIERBARE
MONTAGE PLATTE**

**FORM 2 JUSTERBAR
MONTAGE PLADE**

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	QTY	ORDER No.
FAMP 150	FORM 2 ADJUSTABLE MOUNTING PLATE	400 × 150		1	34650
FAMP 175	FORM 2 ADJUSTABLE MOUNTING PLATE	400 × 175		1	34653
FAMP 200	FORM 2 ADJUSTABLE MOUNTING PLATE	400 × 200		1	34656
FAMP 300	FORM 2 ADJUSTABLE MOUNTING PLATE	400 × 300		1	34659
FAMP 400	FORM 2 ADJUSTABLE MOUNTING PLATE	400 × 150		1	34662

INSTRUCTIONS





ONLY FOR 600 WIDTH BOXES



**19" MOUNTING
RAILS**

**19" MONTAGE
SCHIENEN**

**19" MONTERINGS
SKINNER**

TYPE	DESCRIPTION	U/HE	BOX (HEIGHT)	WEIGHT kg	QTY	ORDER No.
BVMA 4	19" RAILS	7U	400	0.40	1 SET	51650
BVMA 6	19" RAILS	12U	600	0.55	1 SET	51660
BVMA 8	19" RAILS	16U	800	0.80	1 SET	51670
BVMA 10	19" RAILS	21U	1000	1.20	1 SET	51680

INSTRUCTIONS





GLASS DOOR


SICHTTÜREN

LÅGE MED RUDE

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	QTY	ORDER No.
BGD 4.2	GLASS DOOR	400 × 200	1.20	1	51800
BGD 4.4	GLASS DOOR	400 × 400	2.27	1	51810
BGD 4.6	GLASS DOOR	400 × 600	4.04	1	51820
BGD 6.2	GLASS DOOR	600 × 200	2.10	1	51850
BGD 6.4	GLASS DOOR	600 × 400	3.94	1	51860
BGD 6.6	GLASS DOOR	600 × 600	5.77	1	51870
BGD 6.8	GLASS DOOR	600 × 800	7.61	1	51880

OTHER SIZES ON REQUEST

INSTRUCTIONS







CANOPY

REGENDACH

REGNTAG

TYPE	DESCRIPTION	SIZE (WIDTH × DEPTH)	WEIGHT kg	QTY	ORDER No.
CAN 3.1.5	CANOPY	300 × 150	1.60	1	52000
CAN 4.1.5	CANOPY	400 × 150	1.93	1	52010
CAN 6.1.5	CANOPY	600 × 150	2.58	1	52020
CAN 3.2	CANOPY	300 × 200	1.91	1	52050
CAN 4.2	CANOPY	400 × 200	2.30	1	52060
CAN 6.2	CANOPY	600 × 200	3.09	1	52070

INSTRUCTIONS





STAND OFF WALL MOUNTING BRACKET

WANDBEFESTIGUNGS- HALTER

VÆG-AFSTANDS- BESLAG

TYPE	DESCRIPTION	SIZE (HEIGHT)	WEIGHT kg	QTY	ORDER No.
STWB 2	WALL MOUNTING BRACKET	200	0.43	1	52200
STWB 3	WALL MOUNTING BRACKET	300	0.64	1	52210
STWB 4	WALL MOUNTING BRACKET	400	0.86	1	52220
STWB 5	WALL MOUNTING BRACKET	500	1.07	1	52230
STWB 6	WALL MOUNTING BRACKET	600	1.28	1	52240
STWB 7	WALL MOUNTING BRACKET	700	1.50	1	52250
STWB 8	WALL MOUNTING BRACKET	800	1.71	1	52260
STWB 10	WALL MOUNTING BRACKET	1000	2.14	1	52270




STANDARD WALL MOUNTING BRACKET

STANDARD WANDBEFESTIGUNGS- HALTER

STANDARD VÆG-AFSTANDS- BESLAG

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No.
BWB	STANDARD WALL MOUNTING BRACKET (Aluminium)	0.40	1 SET	50594

INSTRUCTIONS





SQUARE LOCK INSERT VIER EANT - VERSCHLUSS FIRKANT INDSATS

TRIANGLE INSERT DREI EANT - VERSCHLUSS TREKANTS INDSATS

KNOB LOCK HAND VERSCHLUSS HÅND LUKKE TØJ

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No. Polyamide black	ORDER No. Stainless steel
SQI	SQUARE 8mm	0.02	1	12123	12125
TRI	TRIANGULAR 8mm	0.03	1	12124	12126
KL	KNOB LOCK	0.025	1	12120	-



T - HANDLE LOCK

T - HAND VERSCHLUSS

T - HÅNDTAG MED LÅG

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER NO Non locking	ORDER No. Keyed alike	ORDER No. Keyed different
THLC	T-HANDLE LOCK - Chrome plated	0.16	1	12130	12131	12132
THLB	T-HANDLE LOCK - Polyamide black	0.1	1	12135	12136	12137




KEY LOCK

SCHLUSSEL VERSCHLUSH

NØGLE LÅS

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No. Keyed alike	ORDER No. Keyed different
KELS	KEY LOCK - Steel	0.05	1	12140	12141
KELP	KEY LOCK - Plastic	0.04	1	12143	12144

INSTRUCTIONS





PADLOCK KIT

EINHÄNGESCHLOSS

HÆNGELÅS-BESLAG

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No.
PLK	S.S. PAD LOCK KIT	0.45	1 SET	52300



BOX LOCK COVER

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No.
BCOV	BOX LOCK COVER	0.06	1	52303





DOOR SEAL SYSTEM

SCHLIESSVORRICHTUNG
PLOMBIERBAR

PLOMBERINGS SÆT

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No.
DSES	DOOR SEAL SYSTEM	0.1	1 SET	30855

INSTRUCTIONS






DIFFERENT GLANDS

VERSCHIEDENE FLANSCHEN


FORSKELLIGE FLANGER

TYPE	DESCRIPTION	SIZE	WEIGHT kg	ORDER No.
QG	QUICK GLAND PLATE - FOAM - GREY	216 × 86	0.32	14730
CHM	CHIMNEY - STEEL - GREY	216 × 86	0.96	14740
SGSG 216	STEEL GLAND WITH STUD - RAL 7032 TEXTURED	216 × 86	0.32	51000
SGSG 139	STEEL GLAND WITH STUD - RAL 7032 TEXTURED	139 × 48	0.32	51010
SGHG 216	STEEL GLAND WITH HOLE - RAL 7032 TEXTURED	216 × 86	0.24	51020
SGHG 139	STEEL GLAND WITH HOLE - RAL 7032 TEXTURED	139 × 48	0.09	51030
SGSW 216	STEEL GLAND WITH STUD - RAL 9010	216 × 86	0.24	51040
SGSW 139	STEEL GLAND WITH STUD - RAL 9010	139 × 48	0.09	51050
SGHW 216	STEEL GLAND WITH HOLE - RAL 9010	216 × 86	0.24	51060
SGHW 139	STEEL GLAND WITH HOLE - RAL 9010	139 × 48	0.09	51070
LGSG 216	LOUVER GLAND WITH STUD - RAL 7032 TEXTURED	216 × 86	0.13	51080
LGSG 139	LOUVER GLAND WITH STUD - RAL 7032 TEXTURED	139 × 48	0.07	51090
LGHG 216	LOUVER GLAND WITH HOLE - RAL 7032 TEXTURED	216 × 86	0.13	51100
LGHG 139	LOUVER GLAND WITH HOLE - RAL 7032 TEXTURED	139 × 48	0.07	51110
LGSW 216	LOUVER GLAND WITH STUD - RAL 9010	216 × 86	0.24	51120
LGSW 139	LOUVER GLAND WITH STUD - RAL 9010	139 × 48	0.07	51130
LGHW 216	LOUVER GLAND WITH HOLE - RAL 9010	216 × 86	0.24	51140
LGHW139	LOUVER GLAND WITH HOLE - RAL 9010	139 × 48	0.07	51150
AF 216	ARC FILTER	216 × 86	0.24	14890
AF 139	ARC FILTER	139 × 48	0.07	14900

INSTRUCTIONS



QUICK GLAND
14730







BOX DOOR STAY

TÜR HÄLTER

DØR HOLDER

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No.
BDST	BOX DOOR STAY	0.20	1 SET	52310

INSTRUCTIONS






BOX DOOR MOUNTING RAIL

DØR MONTERINGS SKINNE

TYPE	DESCRIPTION	SIZE (HEIGHT)	WEIGHT kg	QTY	ORDER No.
BDMR 2	BOX DOOR MOUNTING RAIL	200	0.12	1	52700
BDMR 3	BOX DOOR MOUNTING RAIL	300	0.19	1	52710
BDMR 4	BOX DOOR MOUNTING RAIL	400	0.30	1	52720
BDMR 5	BOX DOOR MOUNTING RAIL	500	0.40	1	52730
BDMR 6	BOX DOOR MOUNTING RAIL	600	0.50	1	52740
BDMR 7	BOX DOOR MOUNTING RAIL	700	0.60	1	52750
BDMR 8	BOX DOOR MOUNTING RAIL	800	0.71	1	52760
BDMR 9	BOX DOOR MOUNTING RAIL	900	0.82	1	52770
BDMR 10	BOX DOOR MOUNTING RAIL	1000	0.90	1	52780
BDMR 11	BOX DOOR MOUNTING RAIL	1100	1.00	1	52790
BDMR 12	BOX DOOR MOUNTING RAIL	1200	1.11	1	52800

INSTRUCTIONS





STAINLESS STEEL BOX IP66

EDELSTAHL BOX IP66

RUSTFRI BOX IP66

Door sizes above 800×1000 supplied with Stiffeners
All sizes might not be available with your dealer


TYPE	SIZE (W×H×D)	LOCKS	WEIGHT kg	QTY	ORDER No. AISI 304	ORDER No. AISI 316
SBOX 2.2-150 V2	200 × 200 × 150	1	4.56	1	63500	64000
SBOX 2.3-150 V2	200 × 300 × 150	1	5.78	1	63505	64005
SBOX 2.5.3-150 V2	250 × 300 × 150	1	6.60	1	63510	64010
SBOX 3.3-150 V2	300 × 300 × 150	1	7.42	1	63515	64015
SBOX 3.3-200 V2	300 × 300 × 200	1	9.16	1	63520	64020
SBOX 3.4-150 V2	300 × 400 × 150	2	9.06	1	63525	64025
SBOX 3.4-200 V2	300 × 400 × 200	2	10.93	1	63630	64030
SBOX 4.3-150 V2	400 × 300 × 150	1	9.06	1	63545	64045
SBOX 4.3-200 V2	400 × 300 × 200	1	10.93	1	63550	64050
SBOX 4.4-150 V2	400 × 400 × 150	2	11.13	1	63555	64055
SBOX 4.4-200 V2	400 × 400 × 200	2	13.13	1	63560	64060
SBOX 4.5-150 V2	400 × 500 × 150	2	13.20	1	63570	64070
SBOX 4.5-200 V2	400 × 500 × 200	2	15.33	1	63575	64075
SBOX 4.5-250 V2	400 × 500 × 250	2	14.12	1	63580	64080
SBOX 4.6-200 V2	400 × 600 × 200	2	17.52	1	63585	64085
SBOX 4.6-250 V2	400 × 600 × 250	2	16.45	1	63590	64090
SBOX 4.7-200 V2	400 × 700 × 200	2	19.72	1	63600	64100
SBOX 5.6-200 V2	500 × 600 × 200	2	20.58	1	63660	64160
SBOX 5.7-200 V2	500 × 700 × 200	2	23.20	1	63665	64165
SBOX 5.7-250 V2	500 × 700 × 250	2	22.38	1	63670	64170
SBOX 6.4-200 V2	600 × 400 × 200	2	17.52	1	63705	64205
SBOX 6.4-300 V2	600 × 400 × 300	2	17.73	1	63710	64210
SBOX 6.5-200 V2	600 × 500 × 200	2	20.58	1	63715	64215
SBOX 6.6-200 V2	600 × 600 × 200	2	23.63	1	63720	64220
SBOX 6.6-300 V2	600 × 600 × 300	2	24.35	1	63730	64230
SBOX 6.7-200 V2	600 × 700 × 200	2	26.68	1	63735	64235
SBOX 6.8-200 V2	600 × 800 × 200	3	29.74	1	63745	64245
SBOX 6.8-250 V2	600 × 800 × 250	3	29.17	1	63750	64250
SBOX 6.8-300 V2	600 × 800 × 300	3	30.97	1	63755	64255
SBOX 6.10-200 V2	600 × 1000 × 200	3	35.84	1	63760	64260
SBOX 6.12-200 V2	600 × 1200 × 200	3	41.0	1	63775	64275
SBOX 8.8-200 V2	800 × 800 × 200	3	37.55	1	63850	64350
SBOX 8.8-300 V2	800 × 800 × 300	3	39.30	1	63855	64355
SBOX 8.10-200 V2	800 × 1000 × 200	3	45.37	1	63860	64360
SBOX 8.10-250 V2	800 × 1000 × 250	3	45.32	1	63865	64365
SBOX 8.10-300 V2	800 × 1000 × 300	3	47.63	1	63870	64370
SBOX 8.12-200 V2	800 × 1200 × 200	3	50.83	1	63875	64375
SBOX 8.12-250 V2	800 × 1200 × 250	3	53.39	1	63880	64380
SBOX 8.12-300 V2	800 × 1200 × 300	3	55.96	1	63885	64385
SBOX 10.10-200 V2	1000 × 1000 × 200	3	52.54	1	63950	64450
SBOX 10.10-300 V2	1000 × 1000 × 300	3	57.67	1	63955	64455
SBOX 10.12-300 V2	1000 × 1200 × 300	3	67.71	1	63960	64460

ALL SIZES MIGHT NOT BE AVAILABLE WITH YOUR DEALER

TYPE	DESCRIPTION	QTY	ORDER No. AISI 304	ORDER No. AISI 316
SWB	STAINLESS STEEL WALL MOUNTING BRACKETS	1 SET	60290	60590

INSTRUCTIONS

MAIN DIMENSIONS Stainless Steel Box IP66



All dimensions in millimetres

TYPE	OVERALL SIZE			OPENING DEPTH			MOUNTING HOLE POSITIONS				MOUNTING PLATE HOLE SIZE				LOCKS	WEIGHT kg	ORDER No. AISI 304	ORDER No. AISI 316
	A	B	C	a	b	d	W1	W2	H1	H2	W3	H3	W4	H4				
SBOX 2.2-150 V2	200	200	150	150	150	135	240	160	240	160	148	148	125	125	1	4.56	63500	64000
SBOX 2.3-150 V2	200	300	150	150	250	135	240	160	340	260	148	248	125	225	1	5.78	63505	64005
SBOX 2.5.3-150 V2	250	300	150	200	250	135	290	210	340	260	198	248	175	225	1	6.60	63510	64010
SBOX 3.3-150 V2	300	300	150	250	250	135	340	260	340	260	248	248	225	225	1	7.42	63515	64015
SBOX 3.3-200 V2	300	300	200	250	250	185	340	260	340	260	248	248	225	225	1	9.16	63520	64020
SBOX 3.4-150 V2	300	400	150	250	350	135	340	260	440	360	248	348	225	325	2	9.06	63525	64025
SBOX 3.4-200 V2	300	400	200	250	350	185	340	260	440	360	248	348	225	325	2	10.93	63630	64030
SBOX 4.3-150 V2	400	300	150	350	250	135	440	360	340	260	348	248	325	225	1	9.06	63545	64045
SBOX 4.3-200 V2	400	300	200	350	250	185	440	360	340	260	348	248	325	225	1	10.93	63550	64050
SBOX 4.4-150 V2	400	400	150	350	350	135	440	360	440	360	348	348	325	325	2	11.13	63555	64055
SBOX 4.4-200 V2	400	400	200	350	350	185	440	360	440	360	348	348	325	325	2	13.13	63560	64060
SBOX 4.5-150 V2	400	500	150	350	450	135	440	360	540	460	348	448	325	425	2	13.20	63570	64070
SBOX 4.5-200 V2	400	500	200	350	450	185	440	360	540	460	348	448	325	425	2	15.33	63575	64075
SBOX 4.5-250 V2	400	500	250	350	450	235	440	360	540	460	348	448	325	425	2	14.12	63580	64080
SBOX 4.6-200 V2	400	600	200	350	550	185	440	360	640	560	348	548	325	525	2	17.52	63585	64085
SBOX 4.6-250 V2	400	600	250	350	550	235	440	360	640	560	348	548	325	525	2	16.45	63590	64090
SBOX 4.7-200 V2	400	700	200	350	650	185	440	360	740	660	348	648	325	625	2	19.72	63600	64100
SBOX 5.6-200 V2	500	600	200	450	550	185	540	460	640	560	448	548	425	525	2	20.58	63660	64160
SBOX 5.7-200 V2	500	700	200	450	650	185	540	460	740	660	448	648	425	625	2	23.20	63665	64165
SBOX 5.7-250 V2	500	700	250	450	650	235	540	460	740	660	448	648	425	625	2	22.38	63670	64170
SBOX 6.4-200 V2	600	400	200	550	350	185	640	560	440	360	548	348	525	325	2	17.52	63705	64205
SBOX 6.4-300 V2	600	400	300	550	350	285	640	560	440	360	548	348	525	325	2	17.73	63710	64210
SBOX 6.5-200 V2	600	500	200	550	450	185	640	560	540	460	548	448	525	425	2	20.58	63715	64215
SBOX 6.6-200 V2	600	600	200	550	550	185	640	560	640	560	548	548	525	525	2	23.63	63720	64220
SBOX 6.6-300 V2	600	600	300	550	550	285	640	560	640	560	548	548	525	525	2	24.35	63730	64230
SBOX 6.7-200 V2	600	700	200	550	650	185	640	560	740	660	548	648	525	625	2	26.68	63735	64235
SBOX 6.8-200 V2	600	800	200	550	750	185	640	560	840	760	548	748	525	725	3	29.74	63745	64245
SBOX 6.8-250 V2	600	800	250	550	750	235	640	560	840	760	548	748	525	725	3	29.17	63750	64250
SBOX 6.8-300 V2	600	800	300	550	750	285	640	760	840	760	548	748	525	725	3	30.97	63755	64255
SBOX 6.10-200 V2	600	1000	200	550	950	185	640	560	1040	960	548	948	525	925	3	35.84	63760	64260
SBOX 6.12-200 V2	600	1200	200	550	1150	185	640	560	1040	1160	548	1148	525	1125	3	41.0	63775	64275
SBOX 8.8-200 V2	800	800	200	750	750	185	840	760	840	760	748	748	725	725	3	37.55	63850	64350
SBOX 8.8-300 V2	800	800	300	750	750	285	840	760	840	760	748	748	725	725	3	39.30	63855	64355
SBOX 8.10-200 V2	800	1000	200	750	950	185	840	760	1040	960	748	948	725	925	3	45.37	63860	64360
SBOX 8.10-250 V2	800	1000	250	750	950	235	840	760	1040	960	748	948	725	925	3	45.32	63865	64365
SBOX 8.10-300 V2	800	1000	300	750	950	285	840	760	1040	960	748	948	725	925	3	47.63	63870	64370
SBOX 8.12-200 V2	800	1200	200	750	1150	185	840	760	1240	1160	748	1148	725	1125	3	50.83	63875	64375
SBOX 8.12-250 V2	800	1200	250	750	1150	235	840	760	1240	1160	748	1148	725	1125	3	53.39	63880	64380
SBOX 8.12-300 V2	800	1200	300	750	1150	285	840	760	1240	1160	748	1148	725	1125	3	55.96	63885	64385
SBOX 10.10-200 V2	1000	1000	200	950	950	185	1040	960	1040	960	948	948	925	925	3	52.54	63950	64450
SBOX 10.10-300 V2	1000	1000	300	950	950	285	1040	960	1040	960	948	948	925	925	3	57.67	63955	64455
SBOX 10.12-300 V2	1000	1200	300	950	950	285	1040	960	1240	1160	948	1148	925	1125	3	67.71	63960	64460


**STAINLESS STEEL
KNOB LOCK**

RUSTFRI HÅND GREB



TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No.
SSKL	STAINLESS STEEL KNOB LOCK	0.06	1	60295

INSTRUCTIONS



STAINLESS STEEL FLOOR STANDING ENCLOSURE IP65


RUSTFRI GULV SKAB IP65



TYPE	DESCRIPTION	SIZE (W×H×D)	STIFFENER	WEIGHT kg	QTY	ORDER No.
FSE2D 8.18.4	S S FLOOR STANDING ENCL. IP65	800×1800×400	1	122	1	61500
FSE2D 8.20.4	S S FLOOR STANDING ENCL. IP65	800×2000×400	1	134	1	61510
FSE2D 8.18.6	S S FLOOR STANDING ENCL. IP65	800×1800×600	1	134	1	61520
FSE2D 8.20.6	S S FLOOR STANDING ENCL. IP65	800×2000×600	1	146	1	61530
FSE2D 10.18.4	S S FLOOR STANDING ENCL. IP65	1000×1800×400	1	135	1	61550
FSE2D 10.20.4	S S FLOOR STANDING ENCL. IP65	1000×2000×400	1	147	1	61560
FSE2D 10.18.6	S S FLOOR STANDING ENCL. IP65	1000×1800×600	1	147	1	61570
FSE2D 10.20.6	S S FLOOR STANDING ENCL. IP65	1000×2000×600	1	159	1	61580
FSE2D 12.18.4	S S FLOOR STANDING ENCL. IP65	1200×1800×400	1	160	1	61600
FSE2D 12.20.4	S S FLOOR STANDING ENCL. IP65	1200×2000×400	1	172	1	61610
FSE2D 12.18.6	S S FLOOR STANDING ENCL. IP65	1200×1800×600	1	172	1	61620
FSE2D 12.20.6	S S FLOOR STANDING ENCL. IP65	1200×2000×600	1	194	1	61630

INSTRUCTIONS

MAIN DIMENSIONS Stainless Steel Floor Standing Enclosure IP65



TYPE	OVERALL SIZE			OPENING DEPTH			MOUNTING PLATE HOLE SIZE				LOCKS	WEIGHT kg	ORDER No.
	A	B	C	a	b	c	W1	H2	W2	H2			
FSE2D 8.18.4	800	1800	400	750	1750	355	748	1748	725	1725	3	122	61500
FSE2D 8.20.4	800	2000	400	750	1950	355	748	1948	725	1925	3	134	61510
FSE2D 8.18.6	800	1800	600	750	1750	555	748	1748	725	1725	3	134	61520
FSE2D 8.20.6	800	2000	600	750	1950	555	748	1948	725	1925	3	146	61530
FSE2D 10.18.4	1000	1800	400	950	1750	355	948	1948	925	1925	3	135	61550
FSE2D 10.20.4	1000	2000	400	950	1950	355	948	1948	925	1925	3	147	61560
FSE2D 10.18.6	1000	1800	600	950	1750	555	948	1948	925	1925	3	147	61570
FSE2D 10.20.6	1000	2000	600	950	1950	555	948	1948	925	1925	3	159	61580
FSE2D 12.18.4	1200	1800	400	1150	1750	355	1148	1948	1125	1925	3	160	61600
FSE2D 12.20.4	1200	2000	400	1150	1950	355	1148	1948	1125	1925	3	172	61610
FSE2D 12.18.6	1200	1800	600	1150	1750	355	1148	1948	1125	1925	3	172	61620
FSE2D 12.20.6	1200	2000	600	1150	1950	355	1148	1948	1125	1925	3	194	61630



TERMINAL BOX

KLEMMENKASTEN

KLEMMEKASSER

TYPE	DESCRIPTION	SIZE (W×H×D)	WEIGHT kg	QTY	ORDER No.
TNB 1,5.1,5-80 V2	TERMINAL BOX	150×150×80	1.39	1	70700
TNB 3.1,5-80 V2	TERMINAL BOX	300×150×80	2.14	1	70710
TNB 2.2-80 V2	TERMINAL BOX	200×200×80	1.98	1	70715
TNB 3.2-80 V2	TERMINAL BOX	300×200×80	2.57	1	70725
TNB 1,5.1,5-120 V2	TERMINAL BOX	150×150×120	1.98	1	70740
TNB 1,75.1,75-120 V2	TERMINAL BOX	175×175×120	2.30	1	70750
TNB 3.1,5-120 V2	TERMINAL BOX	300×150×120	2.84	1	70755
TNB 2.2-120 V2	TERMINAL BOX	200×200×120	2.65	1	70760
TNB 3.2-120 V2	TERMINAL BOX	300×200×120	3.32	1	70770
TNB 4.2-120 V2	TERMINAL BOX	400×200×120	4.00	1	70775
TNB 3.3-120 V2	TERMINAL BOX	300×300×120	4.24	1	70780



WALL MOUNTING BRACKET



WANDBESCHLÄGE

VÆG BESLAG

TYPE	DESCRIPTION	WEIGHT kg	QTY	ORDER No.
TWB	WALL MOUNTING BRACKET	0.16	1 SET	70150

INSTRUCTIONS

MAIN DIMENSIONS



TYPE	OVERALL SIZE					OPENING DEPTH			MOUNTING HOLE POSITIONS				WEIGHT kg	ORDER No.
	A	B	C	D	E	a	b	d	W1	W2	H1	H2		
TNB 1,5,1,5-80 V2	150	150	80	125	75	125	125	67	190	110	190	110	1.39	70700
TNB 3,1,5-80 V2	300	150	80	275	75	275	125	67	340	260	190	110	2.14	70710
TNB 2,2-80 V2	200	200	80	175	125	175	175	67	240	160	240	160	1.98	70715
TNB 3,2-80 V2	300	200	80	275	125	275	175	67	340	260	240	160	2.57	70725
TNB 1,5,1,5-120 V2	150	150	120	125	75	125	125	107	190	110	190	110	1.98	70740
TNB 1,75,1,75-120 V2	175	175	120	150	100	150	150	107	215	135	215	135	2.30	70750
TNB 3,1,5-120 V2	300	150	120	275	75	275	125	107	340	260	190	110	2.84	70755
TNB 2,2-120 V2	200	200	120	175	125	175	175	107	240	160	240	160	2.65	70760
TNB 3,2-120 V2	300	200	120	275	125	275	175	107	340	260	240	160	3.32	70770
TNB 4,2-120 V2	400	200	120	375	125	375	175	107	440	360	240	160	4.00	70775
TNB 3,3-120 V2	300	300	120	275	225	275	275	107	340	260	340	260	4.24	70780



STAINLESS STEEL TERMINAL BOX IP66

EDELSTAHL BOX IP66

RUSTFRI STÅL BOX IP66

TYPE	DESCRIPTION	SIZE (W×H×D)	WEIGHT kg	QTY	ORDER No. AISI 304	ORDER No. AISI 316
STNB 1,5.1,5-80 V2	TERMINAL BOX	150×150×80	1.71	1	72000	72100
STNB 3.1,5-80 V2	TERMINAL BOX	300×150×80	2.63	1	72005	72105
STNB 2.2-80 V2	TERMINAL BOX	200×200×80	2.43	1	72010	72110
STNB 3.2-80 V2	TERMINAL BOX	300×200×80	3.17	1	72015	72115
STNB 1,5.1,5-120 V2	TERMINAL BOX	150×150×120	2.44	1	72030	72130
STNB 1,75.1,75-120 V2	TERMINAL BOX	175×175×120	2.00	1	72035	72135
STNB 3.1,5-120 V2	TERMINAL BOX	300×150×120	3.52	1	72040	72140
STNB 2.2-120 V2	TERMINAL BOX	200×200×120	3.26	1	72045	72145
STNB 3.2-120 V2	TERMINAL BOX	300×200×120	4.11	1	72050	72150
STNB 4.2-120 V2	TERMINAL BOX	400×200×120	4.96	1	72055	72155
STNB 3.3-120 V2	TERMINAL BOX	300×300×120	5.26	1	72060	72160



STAINLESS STEEL WALL MOUNTING BRACKET



WANDBESCHLÄGE

VÆG BESLAG

TYPE	DESCRIPTION	QTY	ORDER No. AISI 304	ORDER No. AISI 316
STWB	STAINLESS STEEL WALL MOUNTING BRACKETS	1 SET	70350	70550

INSTRUCTIONS

MAIN DIMENSIONS



TYPE	OVERALL SIZE					OPENING DEPTH			MOUNTING HOLE POSITIONS				WEIGHT kg	ORDER No. AISI 304	ORDER No. AISI 316
	A	B	C	D	E	a	b	d	W1	W2	H1	H2			
STNB 1,5,1,5-80 V2	150	150	80	125	75	125	125	67	190	110	190	110	1.71	72000	72100
STNB 3,1,5-80 V2	300	150	80	275	75	275	125	67	340	260	190	110	2.63	72005	72105
STNB 2,2-80 V2	200	200	80	175	125	175	175	67	240	160	240	160	2.43	72010	72110
STNB 3,2-80 V2	300	200	80	275	125	275	175	67	340	260	240	160	3.17	72015	72115
STNB 1,5,1,5-120 V2	150	150	120	125	75	125	125	107	190	110	190	110	2.44	72030	72130
STNB 1,75,1,75-120 V2	175	175	120	150	100	150	150	107	215	135	215	135	2.00	72035	72135
STNB 3,1,5-120 V2	300	150	120	275	75	275	125	107	340	260	190	110	3.52	72040	72140
STNB 2,2-120 V2	200	200	120	175	125	175	175	107	240	160	240	160	3.26	72045	72145
STNB 3,2-120 V2	300	200	120	275	125	275	175	107	340	260	240	160	4.11	72050	72150
STNB 4,2-120 V2	400	200	120	375	125	375	175	107	440	360	240	160	4.96	72055	72155
STNB 3,3-120 V2	300	300	120	275	225	275	275	107	340	260	340	260	5.26	72060	72160

International Distributors

EUROPE

Elsteel UK - England

Tel: ++44 197 885 5909
Fax: ++44 197 885 5824
Mail: sales@elsteel.co.uk

Elsteel Ltd. - Poland

Tel: ++48 77 465 4666
Fax: ++48 77 465 4674
Mail: elsteel@elsteel.pl

Elsteel Ltd. - Ireland

Tel: ++44 289 077 4041
Fax: ++44 289 078 3197
Mail: ghavlin@parkelect.co.uk

Elsteel Iberica S. A. - Spain & Portugal

Tel: ++34 95 567 5128
Fax: ++34 95 567 5987
Mail: josemanuel@cenazarenos.com

EFA Elektro AS - Norway

Tel: ++47 6 681 2400
Fax: ++47 6 680 0478
Mail: geir.sogn@efa.no

RS Components Ltd. - England

Tel: ++44 1536 20 1234
Fax: ++44 1536 20 1501
Mail: www.rsweb.com

BMC Manufacturing - Ireland

Tel: ++353 1 835 1744
Fax: ++353 1 835 2359
Mail: ydillion@bmcimg.ie

TMS GmbH - Germany

Tel: ++49 4554 705 6500
Fax: ++49 4554 705 6503
Mail: info@technomodul.de

Kulik Telecom B. V. - Holland

Tel: ++31 182 61 8777
Fax: ++31 182 61 6064
Mail: info@kulik.nl

(19" Items)

Rafmiölun Ehf - Iceland

Tel: ++354 540 3509
Fax: ++354 540 3501
Mail: kolbeinn@rafmiölun.is

Vav Union Kft - Hungary

Tel: ++36 1 310 5150
Fax: ++36 1 310 5163
Mail: vavunion@vavunion.hu

Culic Electro Centar - Croatia

Tel: ++38 5 2120 4333
Fax: ++38 5 2120 4343
Mail: niksa@culic.hr

Coelco Trade SRL - Romania

Tel: ++40 21 411 9621
Fax: ++40 21 411 9781
Mail: catalin.caciuleanu@coelco.ro

Elektra-Bree-Bordenbouw - Belgium

Tel: ++32 8941 0041
Fax: ++32 8941 0049
Mail: koen.geebelen@ebbordenbouw.be

Alewijnse Panelenbouw B.V. - Holland

Tel: ++31 243 716 512
Fax: ++31 243 716 510
Mail: l.d.groot@alewijnse.nl

Montakon B.V. - Holland

Tel: ++31 735 996 000
Fax: ++31 735 996 060
Mail: willem.goes@montakon.nl

AUSTRALASIA

IPD Ind. Products - Australia & New Zealand

Tel: ++61 2 9645 0777
Fax: ++61 2 9645 2365
Mail: brian.rodicks@ipdgroup.com.au

MIDDLE EAST

National Electric & Co. LLC - Omaniya

Tel: ++968 2 445 4951
Fax: ++968 2 445 3721
Mail: neioman@eto.net.om

Voltamp Manufacturing - Oman

Tel: ++968 2 444 9140
Fax: ++968 2 444 6584
Mail: pronab@voltampoman.com

Sharikat Fanniya - Omaniya

Tel: ++968 2 481 5970
Fax: ++968 2 481 0706
Mail: sfoelect@omantel.net.om

Neka Novin Co., - Iran

Tel: ++98 21 8875 7854
Fax: ++98 21 8850 6021
Mail: mmdayeni@nekanovin.com

N. N. Control Panels Ltd. - Cyprus

Tel: ++357 25 71 2516
Fax: ++357 25 71 4415
Mail: info@nncontrolpanels.com

Al Bonian International - Lebanon

Tel: ++961 6 40 0195
Fax: ++961 6 40 0192
Mail: bonian.l@cyberia.net.lb

Electronic & Electrical Industries - Saudi Arabia

Tel: ++966 1 294 1458
Fax: ++966 1 265 2443
Mail: www.abunayyargroup.com

Petroleum Technology Co WLL - Qatar

Tel: ++974 423 8657
Fax: ++974 441 9604
Mail: shoab@petrotec.com.qa

Jaidah Motors & Trading Co. - Qatar

Tel: ++974 460 4283
Fax: ++974 460 4286
Mail: info@jaidah.com.qa

Prisma Electric Industries LLC - U. A. E.

Tel: ++971 6 533 2396
Fax: ++971 6 533 1362
Mail: prisma25@eim.ae

Megatech Control FZCO - Dubai

Tel: ++971 4 883 0022
Fax: ++971 4 883 0050
Mail: balaji@megatech.ae

Bloudan Control Systems Industry - Dubai

Tel: ++971 4 339 0499
Fax: ++971 4 339 1553
Mail: arun@bcsdubai.com

Jawad Electric Switchgear Mfg. - Jordan

Tel: ++962 6 488 5617
Fax: ++962 6 488 5618
Mail: b_hindi@go.com.jo

Power & Control Fzco - Dubai

Tel: ++971 4 883 0391
Fax: ++971 4 883 0392
Mail: pnc@emirates.net.ae

Schneider Electrical Engineering LTd - Israel

Tel: ++972 4 609 4428
Fax: ++972 4 609 2216
Mail: tech@sche.co.il

MIDDLE EAST - Contd.

Bitech W.L.L. - Baharain

Tel: ++973 1 770 3565
Fax: ++973 1 770 3595
Mail: ja@bitechbaharain.com

Powercon Switchgear Factory - Dubai

Tel: ++971 4 267 5504
Fax: ++971 4 267 5514
Mail: powercon@powercon.ae

ASIA

Elsteel Ltd. - Sri Lanka

Tel: ++94 11 225 2485
Fax: ++94 11 225 2698
Mail: esales@slt.lk

Elsteel Ltd. - India

Tel: ++91 80 2351 9747
Fax: ++91 80 2351 9757
Mail: nishith@elsteel.com

Elsteel Techno - Singapore & Malaysia

Tel: ++65 645 546 98
Fax: ++65 645 591 31
Mail: elsteel@singnet.com.sg

Cotmac Electronics (Pvt) Ltd. - India

Tel: ++91 20 6630 1946
Fax: ++91 20 6630 1946
Mail: pralhad.hage@cotmac.com

Fudo Automation Systems - Hyderabad, India

Tel: ++91 40 2342 8178
Fax: ++91 40 2307 3995
Mail: fudo@rediffmail.com

Control Infotech - India

Tel: ++91 80 2836 2527
Fax: ++91 80 2836 1502
Mail: rajesh.r@control-infotech.com

Syspro Automation - India

Tel: ++91 44 2454 1627
Fax: ++91 44 2454 1259
Mail: syspro.automation@vsnl.com

Proficon Electronics - Bombay, Pune, India

Tel: ++91 20 2747 7441
Fax: ++91 20 6611 6751
Mail: proficons@yahoo.co.in

Maxwell Electrical Asia - Hong Kong

Tel: ++852 3583 5088
Fax: ++852 3583 5089
Mail: aven.ng@maxwell.com.cn

MIAC Automation- Thailand

Tel: ++66 38 703 212
Fax: ++66 38 702 106
Mail: hja@miac-automation.com

AFRICA

Elsteel Ltd. - South Africa

Tel: ++27 16 986 2267
Fax: ++27 16 986 2278
Mail: atisa@mweb.co.za

M & E Commercial Industries - Mauritius

Tel: ++230 670 5201
Fax: ++230 670 5200
Mail: mec.eng@intnet.mu

Specialised Power Systems Ltd. - Kenya

Tel: ++254 20 530 6660
Fax: ++254 20 553 073
Mail: specialised@wanachi.com

CIS

JSC Electronmash - Russia

Tel: ++781 2 320 1262
Fax: ++781 2 320 1262
Mail: alexeev@electronmash.ru

ELSTEEL

FABRIKSVEJ 23
3000 ELSINORE
DENMARK

TEL : ++45 49 22 33 44
FAX : ++45 49 22 33 45
MAIL: elsteel@elsteel.dk



For latest news and links www.elsteel.com